

Amendments to the Claims

1. (Currently amended) A method carried out at a fixed wireless device, the method comprising:

comparing a registered location of ~~the a~~-fixed wireless device to a current location of the fixed wireless device, wherein the registered location is stored at the fixed wireless device and comprises ~~stored~~-information indicating a customer premises where the fixed wireless device is located;

responsively activating an alert at the fixed wireless device if the registered location of the fixed wireless device does not match the current location of the fixed wireless device;~~and~~

~~in response to the alert, changing after activating the alert, at an interface of the fixed~~ wireless device, receiving location information for changing the registered location stored at the fixed wireless device to match the current location of the fixed wireless device; and

changing the registered location stored at the fixed wireless device to match the current location of the fixed wireless device.

2-3. (Cancelled)

4. (Original) The method of claim 1, wherein the alert comprises a visual alert.

5. (Original) The method of claim 1, wherein the alert comprises an audible alert.

6. (Previously Presented) The method of claim 1, wherein activating the alert comprises displaying a message to a user.

7-8 (Cancelled)

9. (Original) The method of claim 1, wherein the alert comprises a vibratory alert.

10-21 (Cancelled)

22. (Currently amended) A wireless local loop hub comprising:

data storage for storing a registered location of the wireless local loop hub, wherein the registered location comprises stored information indicating a customer premises where the wireless local loop hub is located;

an alert mechanism;

location-determining logic arranged to determine a current location of the wireless local loop hub;

comparator logic arranged to make a determination that the current location does not match the registered location;

alert logic arranged to invoke the alert mechanism so as to provide an alert at the wireless local loop hub in response to the determination that the current location does not match the registered location; and

~~means an interface to receive location information for changing the registered location stored at the wireless local loop hub to match the current location of the wireless local loop hub, wherein the location information is received at the interface after the alert mechanism is invoked to provide the alert.~~
~~in response to the alert.~~

23. (Previously Presented) The method of claim 6, wherein displaying the message to the user comprises displaying the message on a liquid crystal display.

24-27 (Cancelled)

28. (New) The wireless local loop hub of claim 22, further comprising:
a processor, wherein the location-determining logic, the alert logic, and the comparator logic comprise machine language instructions executable by the processor.

29. (New) The wireless local loop hub of claim 22, wherein the alert comprises a visual alert.

30. (New) The wireless local loop hub of claim 29, wherein the alert logic provides the visual alert by lighting a light emitting diode.

31. (New) The wireless local loop hub of claim 29, wherein the alert logic provides the visual alert by displaying a text message visible on a display.

32. (New) The wireless local loop hub of claim 22, wherein the alert comprises an audible alert.

33. (New) The wireless local loop hub of claim 22, wherein the alert comprises a message to a user.

34. (New) The wireless local loop hub of claim 33, wherein the alert device comprises a liquid crystal display to provide the alert by displaying the message.

35. (New) The wireless local loop hub of claim 22,
wherein the customer premises includes an alternating current outlet and customer premises equipment connectable to the fixed wireless device, and
wherein the fixed wireless device receives power from the alternating current outlet.

36. (New) The method of claim 1, further comprising:
determining the current location of the fixed wireless device.

37. (New) The method of claim 1, further comprising:
comparing the changed registered location to the current location and responsively disabling the alert if the changed registered location matches the current location.